

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"US 20070176510"	US-PGPUB; USPAT; USOCR; DERWENT	ADJ	ON	2007/11/07 10:17
S2	1646	"310/216".CCLS.	US-PGPUB; USPAT	ADJ	ON	2007/11/05 13:53
S3	143	"310/264".CCLS.	US-PGPUB; USPAT	ADJ	ON	2007/11/05 13:53
S4	433	"310/269".CCLS.	US-PGPUB; USPAT	ADJ	ON	2007/11/05 13:53
S5	6	((GERALD) near2 (ROOS)).INV.	US-PGPUB; USPAT	ADJ	ON	2007/11/05 14:21
S6	1	((WERNER) near2 (GROSCH)). INV.	US-PGPUB; USPAT	ADJ	ON	2007/11/06 15:10
S7	5	((HAROLD) near2 (BITZER)).INV.	US-PGPUB; USPAT	ADJ	ON	2007/11/05 14:21
S8	16	((GUENTER) near2 (KASTINGER)). INV.	US-PGPUB; USPAT	ADJ	ON	2007/11/05 14:21
S9	31	((WILHELM) near2 (BRAUN)).INV.	US-PGPUB; USPAT	ADJ	ON	2007/11/05 14:21
S10	2	((GABRIELE) near2 (PFEIFFER)). INV.	US-PGPUB; USPAT	ADJ	ON	2007/11/06 08:39
S11	1	((JOCHEN) near2 (OSER)).INV.	US-PGPUB; USPAT	ADJ	ON	2007/11/05 14:22
S12	2	((MARKUS) near2 (RAUSCHNING)).INV.	US-PGPUB; USPAT	ADJ	ON	2007/11/05 14:22
S13	8	("5578878" or "5604389" or "6064132" or "6563245").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/06 09:05
S14	4	("5047682" or "5604389").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/06 08:54

EAST Search History

S15	11	lamination caulking	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/06 09:19
S20	1	link\$3 (bar or pin) and (core or tooth or lamination) and (310/216, 264,269).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/06 09:32
S21	2156	(310/216,264,269).ccls.	US-PGPUB; USPAT	ADJ	ON	2007/11/06 09:32
S22	45	link\$3 (bar or pin) and (core or tooth or lamination) and "310". clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/06 09:33
S24	869	310/217.ccls.	US-PGPUB; USPAT	ADJ	ON	2007/11/06 09:43
S25	57	S24 and link\$3	US-PGPUB; USPAT	ADJ	ON	2007/11/06 10:02
S26	34	S25 and lamina\$3	US-PGPUB; USPAT	ADJ	ON	2007/11/06 09:44
S27	411	310/267.ccls.	US-PGPUB; USPAT	ADJ	ON	2007/11/06 10:06
S29	10	annular barrier and "310".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/06 10:11
S31	141	short near1 circuit near1 (ring or annular) and "310".clas.	US-PGPUB; USPAT	ADJ	ON	2007/11/06 10:13
S33	2	"5894182".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/06 14:11
S37	433	310/269.ccls.	US-PGPUB; USPAT	ADJ	ON	2007/11/06 15:34

EAST Search History

S38	823	310/218.ccls.	US-PGPUB; USPAT	ADJ	ON	2007/11/07 08:22
S39	466	S38 and (rotor or armature)	US-PGPUB; USPAT	ADJ	ON	2007/11/07 08:33
S40	7	S39 and laminat\$3 near4 caulk\$4	US-PGPUB; USPAT	ADJ	ON	2007/11/07 08:33
S41	869	310/217.ccls.	US-PGPUB; USPAT	ADJ	ON	2007/11/07 09:10
S42	1	"20020163278"	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/11/07 09:37
S43	124	imbalance near2 (armature or rotor) and lamina\$4	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/11/07 10:18
S44	17	S43 and (reduc\$3 or less\$2 or more) near3 lamina\$4	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/11/07 10:19